



## Mobile Fences

**Fencing systems for temporary protection and control of people, vehicles and goods.**

## Tempofor

### Benefits

---

#### Quality and durability

The panels are made out of pre-galvanised materials for a long-lasting corrosion protection in all weather conditions. The tubes are 360° welded and each wire is individually welded to the frame.

#### Flexibility

A wide assortment of panels and accessories provides a solution for any temporary security need. Different connection systems and logistic possibilities offer flexibility in transport and installation.

#### Service

An extended European dealer network is committed to offer a qualitative and quick service, both for purchase and rental of mobile fences

## Applications

For temporary protection and control of people, vehicles and goods on construction sites & events, in traffic and industry situations.  
Protection against theft, accidents and vandalism  
Crowd and traffic control  
View prevention



### Tempofoor F range

**F1:** standard mobile fence panel of 1,2 meter height

**F2:** standard mobile fence panel of 2 meter height

**F2 Medium:** light mobile fence panel

**F2 Super:** mobile fence with reinforced horizontal tubes and mesh, ideal for heavy duty usage, e.g. for rental.

**F2 Secure:** anticlimb mobile fence panel with small mesh size

**F3:** standard mobile fence panel with extra horizontal tube for more rigidity

**F3 Maxi:** mobile fence panel of 2,45 m height with extra horizontal tube and smaller mesh size

### Tempofoor 3D range

**3D:** standard mobile fence panel with double profiled mesh

### Tempofoor B range

View prevention into construction site or events. Heavy duty, hot-dipped galvanised steel frame with profiled & coated steel plate infill. Available in several colour combinations (white, blue, red), other colours on request. Compatible with standard mobile fence panels and accessories. Use of braces obligatory.

**B1:** Standard panel of 1,2 m height

**B2:** Standard panel of 2,0 m height

**B3:** Semi-closed version of 2,0 meter height

### Tempofoor C range

**C1:** Guiding panel with reinforced upper guiding rail for crowd control.

**C2:** standard crowd barrier

**C2 Medium:** light crowd barrier

**C3:** police barrier, maximum stability for controlling big crowds, foldable

**C3 Medium:** light police barrier

**C4:** heavy duty stage barrier for crowd control in front of stages, foldable

**Mobile crowd guidance system:** for effective entry control to events.



### Tempofoor T range

**T2:** Signalisation panel with reflective signalisation strips for safe traffic control



Tempofoor F2.



Tempofoor B3.



Tempofoor T2.



## TEMPOFOR F-RANGE

Type	Description	Dimensions width x height	Mesh size width x height	Wire dia. hor.	Wire dia. vert.	Tube dia. hor.	Tube dia. vert.	Weight kg
F1	standard panel	3454* X 1200	100x300	4	3,5	27,0x1,5	41,5x1,5	13,1
F1	infill panel	2200 X 1200	100x300	4	3,5	27,0x1,5	41,5x1,5	9,6
F1	gate	1200 X 1200	100x300	4	3,5	27,0x1,5	41,5x1,5	6,4
F2	standard panel	3454* X 2000	100x300	4	3,5	27,0x1,5	41,5x1,5	18,5
F2	infill panel	2200 X 2000	100x300	4	3,5	27,0x1,5	41,5x1,5	13,5
F2	gate	1200 X 2000	100x300	4	3,5	27,0x1,5	41,5x1,5	9,5
F2 Medium	standard panel	3454* X 2000	100x300	3	3	27,0x1,25	41,5x1,25	15,5
F2 Super	standard panel	3454* X 2000	100x300	4,5	4	38,0x1,5	41,5x1,5	23
F2 Secure	anticlemb panel	3454* X 2000	30x300	4	3,5	27,0x1,5	41,5x1,5	26,1
F3	standard panel	3454* X 2000	100x300	4	3,5	27,0x1,5	41,5x1,5	21,2
F3	infill panel	2200 X 2000	100x300	4	3,5	27,0x1,5	41,5x1,5	15,5
F3	gate	1200 X 2000	100x300	4	3,5	27,0x1,5	41,5x1,5	10,5
F3 Maxi	extra high panel	3454* X 2450	50x300	4	3,5	27,0x1,5	41,5x1,5	35,2

\* distance between centre of bases = 3500mm

## TEMPOFOR 3D-RANGE

Type	Description	Dimensions width x height	Mesh size width x height	Wire dia. hor.	Wire dia. vert.	Tube dia. vert.	Weight kg
3D	standard panel	3454* X 2000	100x225	4	3	40,0x1,2	14,0
3D	infill panel	2200 X 2000	90x225	4	6,8	41,5x1,5	12,5
3D	gate	1200 X 2000	90x225	4	6,8	41,5x1,5	10,8

\* distance between centre of bases = 3500mm

## TEMPOFOR B-RANGE

Type	Description	Dimensions width x height mm	Profiles horizontal top (2xL)	Profiles horizontal bottom (U)	Tube dia. vert.	Weight kg
B1	standard panel	2160 x 1200	60 x 35 x 1,5	60 x 40 x 1,5	41,5 x 1,5	29
B2	standard panel	2160 x 2072	60 x 35 x 1,5	60 x 40 x 1,5	41,5 x 1,5	39
B3	semi-closed panel	2160 x 2072	60 x 35 x 1,5	60 x 40 x 1,5	41,5 x 1,5	36

## TEMPOFOR C-RANGE

Type	Description	Dimensions width x height	Mesh size width x height	Wire dia. hor.	Wire dia. vert.	Tube dia. hor.	Tube dia. vert.	Weight kg
C1	crowd barrier	3454* x 1200	100x300	4	3,5	41,5x1,5	41,5x1,5	17,1
C2	crowd barrier	2460 x 1100	-	bar dia 16	-	38,5x1,5	38,5x1,5	27,0
C2 Medium	crowd barrier	2460 x 1100	-	bar dia 13	-	25,0x1,8	25,0x1,8	14,8
C3	police barrier	2088 x 1100	-	bar dia 20	-	33,7x2,6	33,7x2,6	45,0
C3 Medium	police barrier	2110 x 1100	-	-	-	33,7 x 2,6	33,7 x 2,6	36,5
C4	stage barrier	1090 x 1250	-	-	-	-	-	70,0

## TEMPOFOR T-RANGE

Type	Description	Dimensions width x height	Mesh size width x height	Wire dia. hor.	Wire dia. vert.	Tube dia. hor.	Tube dia. vert.	Weight kg
T2	traffic control barrier	2096 x 1030	72,5 x 250	4,3	4,3	25,0 x 1,5	42,4 x 1,5	25,5



**Connection systems**

- adjustable brackets with nut and bolt
- hook/eye connection
- wire loops for quick installation
- security connectors for a durable and secure connection



**Accessories**



Mobile turnstile for events and building sites in galvanised execution.



Concrete block



PVC block



Red signalisation block




PVC block for road signs



Pedestal



Steel plate



Mobile plate



Ground anchor



Hinge set



Ring




Wheel




Connector



Security connector + tool



Ground pin



Anti-lift set



Barbed wire holder



Barbed wire holder Y



Brace



Curtain 3,5 m / 20 m blue/black/white



Publicity panel

**Logistics**



Transport System TP25/TP29 for F panels and/or blocks



Transport System TP20 for panels T2 and B2



Pallet TG30 for 30 F panels



Pallet for 30 PVC blocks